Receiving Report Batch No: Date: Supplier: Marma Dart P/O: Release Note Attached: Packing Slip: Yes No Waybill Attached: No/<u>ک</u> Yes Invoice: Yes No _≁ No ُ ⊁es N/A Cr Shipment Complete: Receipt: Cash QC6 Inspection _____ N/A Work Order N/A Discrepancies Quantity Quantity Quantity Quantity Part Comments Description Number Ordered Received Returned **Short** LooleIT Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Initial

All amounts are calculated in domestic currency.

Purchase Order Receipt Listing

Tuesday, June 12, 2012 3:45:02 PM

All Vendors PO ID PO17164 Receipt Dates from 6/12/2012 to 6/12/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Inspected Qty/ MRB Qty/ Book Amt Rejected Qty MRB Reject (PO U/M) Qty	0.0000 -0\$2,222.49		0.0000 \$614.57	0 00000	0.0000 0 \$307.86	0.0000	0.0000 0 \$200.02 0.0000 0	Total Received Quantity: 1,468.0000
Cost Per Unit/ Recv Value	\$2.22		\$2.05	\$614.57	\$2.85	\$307.86	\$3.33	Ľ
Recv Qty (PO U/M)	1,000.0000		300.000		108.0000		0000009	
Recv Date/ Recv Emp	6/12/2012 DES102		6/12/2012	DESJ02	6/12/2012	DESJ02	6/12/2012 DESJ02	
Required Date Required Qty	6/13/2012		6/13/2012	300.0000	6/13/2012	108.0000	6/13/2012	
ence/ PO U/M / ription/ Stock U/M Std	AR001 Marmon/Keystone Canada Ltd. M304TS0.750W.065 f f	75x.75x.065W 122051	M6061T6T0.500W.0_f	6061-T6 RD Tube f .500 x.058W 122051	M6061T6T0.625W.0 f 65	6061-T6 RD Tube f .625 x.065W 122051	M303R0.750 f 303 Round Bar 0.750 f 122051	•
Project ID Reference/ Description/ Cert Std	AC-M	.75x.75 .122051	M606 58	6061-Te 500 x.0 122051	M606 65	6061-T .625 x.C 122051	M303R 303 Ro 122051	
Line Nbr/ Insp Req	endor Name	2	4	°S X	w.	No N	o No	
Purchase Order ID/ Curr Type	rendorID\Vendor Name PO17164 1 CAD No	}						

\$3,344.97 0.0000 0.0000

Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153

FAX. 450/641-4357

PAGE..: 1

Order : 1118291 Date..: 06/11/2012

PACKING SLIP

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

	IP VIA FOVERLAND #	222212	F.O.B. BOUCHER	VILLE		SALESPER G. Dulud		UR ORDER NO.
	Ordered	Description				Number Pieces	Quantity Shipped	Back Ordered
		Fax all paper	s to Linda Lacell	Le 613-632-105	3 rev:()1/11 GD		:
01	300 /FT	Tariff Numb	.058 D60 er: 7608.20.00.90 #.: M6061T6T0.500	W.058 F00013	711 Fotal	2 <u>5</u> 25	300/FT 300/FT	U
02	108 /FT		.065 D60 er: 7608.20.00.90 #.: M6061T6T0.625 HT#	W.065 : F00010		3 6 9	36/FT 72/FT 108/FT	
03	60 /FT	STAINLESS ROU SBR .750 Cust. part	CD 303 #.: M303R0.750	: 9NM1	Fotal	55	60/FT 60/FT	
04	1000 /FT	STO .750 Tariff Numb	BE 3/4" X 3/4'X750 .065 304; er: 7306.40.90.10 #.: M304TS0.750W.	065 : 9HP2 : 9KV3	Potal	12 38 50	240/FT 760/FT 1000/FT	
							P19-	6-12

No. of Bdls/Pieces

0

Total Weight....:

740

Customers.:





CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CUSTOMER PO NUMB	ER:	CUSTOMER PART NUMBER:	PRODUCT DESCRIPTION	N:	
61-17107-3		AT/.5.058/734	Seamless Tube/Pi	ipe	
KAISER ORDER NUMB	ER: LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
606551	003	01/04/2012	F00013711	6061	Т6
WEIGHT SHIPPED:	QUANTITY:	B/L NUMBER:	DIAWDAF/THKNS:	WIDTH:	LENGTH:
668.000 LB	586.000 P	CS 602261			12.000 FT
SHIP TO:			SOLD TO:		
MARMON/KEYS 32944 US HIGH\			MARMON/KEYST		
SPRING VALLEY	r. IL 61362 US	A .	BOLINGBROOK,	IL 60440 USA	

Actual Physical Properties

	REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
k	F00013711	0001	1	45.9	42.4	13.0	N/A	N/A	N/A
*	F00013711	0002	1	45.3	41.8	13.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69881	.58	.26	.22	.06	. 98	.07	.09	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Wall: 0.058"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

12/06/14

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: 00022759 Kaiser Order Number: 606551

Line Item: 003

Page 1 of 2

ATS 500 .058 DUOG! TO



Belin

CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Q. C. REVIEWED

Plant Serial: 00022759 Kaiser Order Number: 606551

Line Item: 003

Page 2 of 2

02/13/201% From: MARMON/KEYSTONE CORPORATION

-M/K OR:

C.P.O.:

C PART:

ON To:

NIT.::

OR.REF:

SLSPRS:

KAISER

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMB	ER:	CUSTOM	ER PART NUMBER:	PRODUCT DESCRIPTION	N:	······			
61-13674-3		AT/.62	5.065/734	Seamless Tube/Pi	pe				
KAISER ORDER NUMB	3674-3 AT/ 16 ORDER NUMBER: LINE FEEM: 185 003 T SHIPPED: QUANTITY: 100 LB 382,000 PCS D: 100 MON/KEYSTONE CORP 14 US HIGHWAY 6	SHIP DATE		KAISER LOT NUMBER:	ALLOY:	TEMPER:			
206785	ORDER NUMBER: LINE FEM: 5 003 SHIPPED: QUANTITY: 00 LB 382.000 PC	12/28/2010		F00010188	6061	Т6			
WEIGHT SHIPPED	674-3 AT CORP NUMBER: LINE FEM: 5 003 SHIPPED: QUANTITY: 00 LB 382.000 PCS			DIAM/DAF/THKNS:	WIDTH:	LENGTH:			
615.000 LB	ROER NUMBER: LINE FEM: 003 SHIPPED: QUANTITY: 0 LB 382.000 PCS ON/KEYSTONE CORP US HIGHWAY 6	PCS	206597		1	12.000 FT			
SHIP TO:				SOLD TO:					
32944 US HIGHV	VAY 6			MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA					

Actual Physical Properties

REFERENCE	DASH#	Sample#	UTS (KSI)	YTS (KSI)	elong*	HARDNESS	CONTIACS	BEND
F00010188	0001	1	45.3	39.0	21.5	N/A	N/A	N/A
F00010188	0002	1	44.8	39.6	19.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Şi	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0,25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68879	. 63	.32	.22	.05	1.01	.08	.04	.02	.00	.00	.00	.01	.02

on islouling

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms accorditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00009072

Kaiser Order Number: 206785

Line Item: 003

Page 1 of 2

ATS 1625 .065 DLOGI TO

To:

OR.REF: SLSPRS::

C.P.O.: C PART::

FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA OD: 0.625"; Wall: 0.065"; Round @ ASTM-B210-04 AMS-4082P WW-T-700/6F WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED. THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B. COMPLIES TO DIN EN 10204 JAN 2005 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014 No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00009072

Kaiser Order Number: 206785

Line Item: 003

Page 2 of 2





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMB	ER: CUSTO	MER PART NUMBER:	PRODUCT DESCRIPTION	N:			
61-15086-1	AT/.6	325.065/734	Seamless Tube/Pi	pe			
KAISER ORDER NUMB	ER: LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:		
208094	001	08/05/2011	F00012516	6061	т6 .		
WEIGHT SHIPPED:	QUANTITY:	B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:		
651.000 LB	404.000 PCS	208511			12.000 FT		
SHIP TO:			SOLD TO:				
MARMON/KEYS 32944 US HIGHV SPRING VALLEY	VAY 6		MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA				

Actual Physical Properties

REFERENCE	DASH#	Sample#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00012516	0001	1	47.0	40.7	18.0	N/A	N/A	N/A
F00012516	0002	1	47.0	40.7	17.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Şi	Fe	Сл	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80		0.00	0.00	NA	NA	NA	0.00	0.00
D69293	.56	.32	-20	.05	.99	.08	.06	.02	.00	.00	.00	.01	.02
D69285	.59	.25	.21	.06	.98	.06	.05	.02	.00	.00	.00	.01	.02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00011300

Kaiser Order Number: 208094

Page 1 of 2

Line Item: 001

ATS, 625.065 D6061 TG

C PART:: c.P.o.:

W\K OK#

::.TINI

11/28/2011 From: MARMON/KEYSTONE CORPORATION





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA OD: 0.625"; Wall: 0.065"; Round @ AMS-4082P ASTM-B210-04 WW-T-700/6F WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED. THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B. COMPLIES TO DIN EN 10204 JAN 2005 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014 No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

12/04/14

QC REVIEWED DFC 23 2011

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00011300

Kaiser Order Number: 208094

Line Item: 001

Page 2 of 2

SISPRS OR. REF:

:: .TIMI

C PART:: C.P.O.::

11/28/2011 From: MARMON/KEYSTONE CORPORATION

MN2359 8/4/2011

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST **GHENT, KY 41045**

Customer: Certificate: 659031 6870 HIGHWAY 42 EAST

007080 004 Ь, Mail To:

C/O STEELCORE
400 LONGWOOD ROAD SOUTH
HAMILTON, ON 18P4Z3 MARMON KEYSTONE CANADA, INC

Ship To:

MARMON KEYSTONE CANADA, C/O STEELCORE 400 LONGWOOD ROAD SOUTH

HAMILTON, ON L8P4Z3

HNC.

Date: 7/27/2011

Page: 1

Finish: CD

Steel: 303

Corrosion:

REMARKS:

NAS Order: PN 0014526 03

ASTW A582/05 EN 10204 3.1, ASTW A484/08

Round Bar, Annealed, Cold Draw

SOLUTION ANNEAL TEMP 1900F MIN

PRODUCT DESCRIPTION:

Your Order: MN2359

AMS 5640U TYPE 1, QQS-764B CONDITION A

FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA

Product BD9365 7 H Skid # Diameter .7500 Size Weight 1,088 ------Length----144.00 Mark Pieces Commodity Code

CHENH a a L ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CM	ი	CO CO	CR	8	MM	MO	범	ä	שי	
TMM	SD	.0719	.0675	US .0719 .0675 17.5170 .3025 1.8165 .3650	.3025	1.8165	.3650	. 0450	150 8.5175	.0330	
		w	IS								
		.3200	.5815								

CHANICAL А Ħ Q μ 西ガゴエ 넴 ß

H

−CD

*		
	BD9365 7	Product Id
	1 X	100 100 100 100 100 100 100 100 100 100
	R L 196.00 78.36 106.81 36.92 30.36	HB No.
	78.36	. 2YS RSI
	106.81	UTS KSI
	36.92	**************************************
	30.36	Elng % 4D
8-C		
Q.C. Reviewed		
Pe		

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HESS

7/27/2011

M

h





CERTIFICATE OF COMPLIANCE

We hereby certify that the material-listed below has been used to produce stainless steel tubing in accordance with specifications outlined in ASTM A554-03/EN 10204 3.1.

Type:

Size:

0.750"x 0.750"x 0.065"x 240.000"

Finish:

As Welded

Your P.O. #:

MX3129

Item Code:

AI

Q.C. Reviewed

9HP2

STO.750.750.065

HEAT NO.:

Cu

059HP2 A COIL NO.:

CHEMICAL ANALYSIS (%):

C Mn Ni 0.0500 0.3700 18.2620 8.2540 1.5890 0.0270 0.0010 N/R

Ti N/R N/R N/R

Cb Co 0.0530 N/R N/R

MECHANICAL PROPERTIES:

TENSILE STRENGTH **ELONGATION HARDNESS YIELD STRENGTH** P.S.I. P.S.I. % 97000 47.31 86 HRB 47650

Mercury has not been used as an alloying material nor is it present in our processing methods.

Date:

11/29/2011

Rob Kaminski

Metallurgical Lab Technician

190 Frobisher Drive, Waterloo, Ontario, N2V 2A2 Phone: (519) 746-0088 Fax:(519) 746-3941 (Toll Free:1-800-563-8823)





CERTIFICATE OF COMPLIANCE

We hereby certify that the material listed below has been used to produce stainless steel tubing in accordance with specifications outlined in ASTM A554-03/EN 10204 3.1.

Type:

304

Size:

0.750"x 0.750"x 0.065"x 240.000"

Finish:

As Welded

Your P.O. #:

MX3129

Item Code:

STO.750.750.065

HEAT NO.:

9KV3

COIL NO.: 059KV3 A

12/06/14

CHEMICAL ANALYSIS (%):

		the second secon	-				
С	Mn	P	S	Si	Cr	Mo	Ni
0.0530	1.6770	0.0300	0.0010	0.4040	18.1970	N/R	8.0960
Cu	Ti	Al	N	Co	Cb		
N/R	N/R	N/R	0.0520	N/R	N/R	1	

MECHANICAL PROPERTIES:

YIELD STRENGTH P.S.I.	TENSILE STRENGTH P.S.I.	ELONGATION %	HARDNESS	
49390	97530	47.29	85 HRB	

Mercury has not been used as an alloying material nor is it present in our processing methods.

Date:

11/29/2011

Q.C. Reviewed | 13/01 / 11

Rob Kaminski

Rob Kaminski

Metallurgical Lab Technician

190 Frobisher Drive, Waterloo, Ontario, N2V 2A2 Phone: (519) 746-0088 Fax:(519) 746-3941 (Toll Free:1-800-563-8823)



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17164

Purchase Order Date 6/08/12 PO Print Date 6/08/12

Page Number 1 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line	Nbr Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Req Qty/ Ship Method Unit Pri Taxable Unit of Measure	ce Extended Price
1	M304TS0.750W.065	304 SQ Tube	6/13/12 1,000.00 TST ground \$2.3	\$2,300.00
	m122051	.75x.75x.065W	Yes f	(A)
				50 12-10-12
•		Special Inst:	MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH	
			OR ASTM A260 MILL FINISH	
2	M6061T6T1.750W.065	6061T6 RDTUBE 1.750 X 0.65W	6/22/12 60.00 TST ground \$6.9	900 \$419.40
			Yes	
		Special inst:	MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082	
			OR QQ-A-200/8 OR QQ-A-225/8	
3	M6061T6T1.000W065	6061T6 RD TUBE 1.00 A .065w	6/22/12 60.00 TST ground \$3.9	000 \$234.00
	•		Yes	

No substitution or deviation without consent. Certificate of Conformity or Material

Certification required (YES

NO.

Change Nbr:

Change Date:

6/08/12



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17164

Purchase Order Date 6/08/12 PO Print Date 6/08/12

Page Number 2 of 2

VC-MAR001 Order From: MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9 CA Contact Name Chantal Lavoie Buyer Vendor Phone 800 361 8142 Requisition Nbr 10127-2607 Vendor Fax 450 641 4357 Tax Resale Nbr Net 30 **Terms** Vendor Account Nbr CAD Currency **FOB** Destination-Collect Special Inst: MATERIAL: 6061-T6 OR 6061-T62 **TUBING PER** WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 M6061T6T0.500W.058 6061-T6 RD Tube .500 6/13/12 300.00 TST ground \$2.1200 \$636.00 x.058W SP 12-6-12 Yes MATERIAL: 6061-T6 OR 6061-T62 Special Inst: TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 QQ-A-200/8 OR QQ-A-225/8 M6061T6T0.625W.065 6061-T6 RD Tube .625 6/13/12 108.00 TST ground \$2.9500 \$318 60 x.065W Yes f Special Inst: MATERIAL: 6061-T6 OR 6061-T62 **TUBING PER** WW-T-700/6 OR AMS 4080 OR AMS 408/2 QQ-A-200/8 OR QQ-A-225/8 M303R0.750 303 Round Bar 0.750 6/13/12 TST ground 60.00 \$3.4500 \$207.00 Yes MATERIAL: 303 ROUND BAR AS PER Special Inst:

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

MATERIAL: 303 ROUND BAR AS PER ASTM A582 NOTE: 304/316 NOT ACCEPTABLE

PO Total:

\$4,115.00



No substitution or deviation without consent.

Certificate of Conformity or Material Certification required (YES) NO

Change Nbr: 1 Change Date: 6/08/12